

475 TURNBULL RELOADING DATA

**CASE OVERALL LENGTH: 2.1950" • MAXIMUM CARTRIDGE OAL: 2.650" MIN. 2.780" MAX.
DATA IS FOR STARLINE BRASS, REDUCE LOAD BY 1.5 GR. IF USING JAMISON OR COR-BON.**



350 GRAIN BARNES TSX

	VELOCITY (feet per second)					
POWDER	2,100	2,200				
H322	62 gr.	64 gr.				
TAC	69 gr.	71 gr.				
IMR4198	57 gr.	58 gr.				
H4198	58.5 gr.	60 gr.				

350 GRAIN BARNES TSX REDUCED LOAD DATA

	VELOCITY (feet per second)					
POWDER	1,300	1,400	1,500	1,600	1,700	1,900
VARGET	x	x	x	65 gr.	67 gr.	70 gr.
RL19	63 gr.	68 gr.	70 gr.	x	x	x
4320	x	x	63 gr.	64 gr.	65 gr.	x
4064	x	x	60 gr.	62 gr.	63 gr.	x

400 GRAIN BARNES TSX & 400 GRAIN SPEER

	VELOCITY (feet per second)					
POWDER	1,400	1,500	1,600	1,700	1,975	2,050
AA2460	x	x	x	x	64 gr.	66 gr.
TAC	x	x	x	x	65 gr.	67 gr.
H322	x	x	x	x	57 gr.	59 gr.
4064	58 gr.	60 gr.	62 gr.	64 gr.	x	x
IMR4198	x	x	x	x	53 gr.	55 gr.
H4198	x	x	x	x	55 gr.	57 gr.

CONTINUED

Disclaimer: USE THIS DATA AT YOUR OWN RISK. Turnbull Restoration Co., Inc., its staff, members, and contributors take NO responsibility for any and all injuries including death, losses or damages to person or property (including consequential damages), arising from the use of any of this data, whether or not occasioned by publisher's negligence or based on strict liability or principles of indemnity or contribution. Turnbull Restoration (www.turnbullrestoration.com) or any persons involved with Turnbull Restoration neither assumes nor authorizes any person to assume for it any liability in connection with the use of any product or data. Turnbull Restoration is not responsible for the data presented or its use. In addition we are not responsible for typographical errors or interpretation of this data. *Use Reloading data at your own risk.*

TURNBULL RESTORATION CO., INC.

(585) 657-6338 • INFO@TURNBULLRESTORTION.COM • WWW.TURNBULLRESTORATION.COM

Rev. 012519

.475 TURNBULL RELOADING DATA

**CASE OVERALL LENGTH: 2.20" • MAXIMUM CARTRIDGE OAL: 2.650" MIN. 2.780" MAX.
DATA IS FOR STARLINE BRASS, REDUCE LOAD BY 1.5 GR. IF USING JAMISON OR COR-BON.**



400 GRAIN HAWK .500" CANNELURE

	VELOCITY (feet per second)				
POWDER	1,975	2,050			
H322	59 gr.	61 gr.			
IMR4198	56 gr.	58 gr.			
H4198	56 gr.	58 gr.			

400 GRAIN BARNES SOLID

	VELOCITY (feet per second)				
POWDER	1,850	1,900	2,000		
IMR4198	51 gr.	52.5 gr.	53.5 gr.		
H322	55 gr.	56 gr.	57 gr.		

450 GRAIN BARNES SOLID

	VELOCITY (feet per second)				
POWDER	1,800	1,900			
IMR4198	50 gr.	51.5 gr.			

500 GRAIN A-FRAME, WOODLEIGH, SPEER

	VELOCITY (feet per second)				
POWDER	1,800	1,850			
IMR3031	57 gr.	58 gr.			
IMR4198	50 gr.	51.5 gr.			

CONTINUED

Disclaimer: USE THIS DATA AT YOUR OWN RISK. Turnbull Restoration Co., Inc., its staff, members, and contributors take NO responsibility for any and all injuries including death, losses or damages to person or property (including consequential damages), arising from the use of any of this data, whether or not occasioned by publisher's negligence or based on strict liability or principles of indemnity or contribution. Turnbull Restoration (www.turnbullrestoration.com) or any persons involved with Turnbull Restoration neither assumes nor authorizes any person to assume for it any liability in connection with the use of any product or data. Turnbull Restoration is not responsible for the data presented or its use. In addition we are not responsible for typographical errors or interpretation of this data. *Use Reloading data at your own risk.*

TURNBULL RESTORATION CO., INC.

(585) 657-6338 • INFO@TURNBULLRESTORTION.COM • WWW.TURNBULLRESTORATION.COM

Rev. 012519

.475 TURNBULL RELOADING DATA

**CASE OVERALL LENGTH: 2.20" • MAXIMUM CARTRIDGE OAL: 2.650" MIN. 2.780" MAX.
DATA IS FOR STARLINE BRASS, REDUCE LOAD BY 1.5 GR. IF USING JAMISON OR COR-BON.**



TURNBULL MANUFACTURED RIFLES & DT SIGHTS

NOTCH	ZERO	100	200	300		
1st	100	0	-8	-30		
2nd	180	3	-2	-20		
3rd	230	6	3	-13		
4th	290	9	10	-2		
5th	330	12	16	6		
6th	375	15	23	17		

ALL 400 GRAIN BULLETS WITH FULL POWER LOADS

100 YARD ZERO		290 YARD ZERO				
RANGE	DROP	RANGE	DROP			
100	0	100	9			
200	-8	200	10			
300	-30	300	-2			
x	x	400	-32			

Disclaimer: USE THIS DATA AT YOUR OWN RISK. Turnbull Restoration Co., Inc., its staff, members, and contributors take NO responsibility for any and all injuries including death, losses or damages to person or property (including consequential damages), arising from the use of any of this data, whether or not occasioned by publisher's negligence or based on strict liability or principles of indemnity or contribution. Turnbull Restoration (www.turnbullrestoration.com) or any persons involved with Turnbull Restoration neither assumes nor authorizes any person to assume for it any liability in connection with the use of any product or data. Turnbull Restoration is not responsible for the data presented or its use. In addition we are not responsible for typographical errors or interpretation of this data. *Use Reloading data at your own risk.*

TURNBULL RESTORATION CO., INC.

(585) 657-6338 • INFO@TURNBULLRESTORTION.COM • WWW.TURNBULLRESTORATION.COM

Rev. 012519